

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|---|------------------|---------|------------------|
| S50 | 388 | super\$1cluster\$5 global\$1cluster\$5 multi\$1cluster\$5 super adj cluster\$5 global adj cluster\$5 multi adj cluster\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/27 17:48 |
| S51 | 194 | S50 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/27 16:26 |
| S52 | 131 | S51 and (compute computer computing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/27 16:26 |
| S53 | 121030 | super\$1cluster\$5 global\$1cluster\$5 multi\$1cluster\$5 super adj cluster\$5 global adj cluster\$5 multi adj cluster\$5 cluster\$ | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/27 17:48 |
| S54 | 2865 | S53 and "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 13:12 |
| S55 | 444 | S54 and ((naming adj service) (name adj service) (naming\$1service) (name\$1service)(naming adj server)(name adj server)(naming\$1server)(name\$1server)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/27 17:50 |
| S56 | 197 | S55 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 12:53 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S58 | 35 | (US-6609213-\$ or US-6353898-\$ or US-6154765-\$ or US-6151688-\$ or US-6101508-\$ or US-6067545-\$ or US-6801949-\$ or US-6691165-\$ or US-6370585-\$ or US-6349307-\$ or US-6332165-\$ or US-6148349-\$ or US-6088330-\$ or US-5940870-\$ or US-5914953-\$ or US-5887187-\$ or US-5852719-\$ or US-5638518-\$ or US-6438705-\$ or US-6807557-\$ or US-6801937-\$ or US-6725261-\$ or US-6393485-\$ or US-6311217-\$ or US-6304556-\$ or US-6256740-\$). did. or (US-6247077-\$ or US-6243361-\$ or US-6038677-\$ or US-5890007-\$ or US-5872904-\$ or US-5590301-\$).did. or (US-6101508-\$ or WO-9935793-\$ or DE-19607531-\$).did. | USPAT; DERWENT | OR | ON | 2004/10/28 10:16 |
| S59 | 16 | S58 and ((super\$1cluster\$6)(super adj cluster\$6)(global\$1cluster\$6)(global adj cluster\$6)(multi\$1cluster\$6)(multi adj cluster\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 10:21 |

| | | | | | | |
|--|-----|--|---|----|----|------------------|
| S60 | 478 | ("5940870" "6154765" "5682512" "5805572" "5428803" "6069986" "6163855" "6665278" "5832182" "6175931" "6748429" "6175574" "6049889" "6332180" "6047323" "6295585" "5625831" "5191578" "6332165" "6370585" "6449700" "6536000" "5887134" "5946685" "6047332" "6163806" "6119143" "6151688" "5652841" "6173374" "6338112" "6353898" "6594786" "6389451" "6801937" "6249802" "5224100" "5404451" "6014669" "5561784" "6438705" "6182197" "6769008" "5612865" "5699500" "5727206" "6253230" "6006098" "5890007" "6247077").pn. ("5884313" "6049808" "6199179" "6226734" "6226734" "6247109" "6260068" "6381682" "5884090" "5887184" "6021442" "5287453" "6078943" "6587866" "6667980" "6735206" "5893086" "5940838" "5946686" "5950199" "5956734" "5960446" "5963963" "5974424" "5987477" "5999976" "6021508" "6023706" "5940841" "6470441" "6078913" "5319775" "5588152" "5590345" "5625836" "5710935" "5717943" "5734921" "5842031" "5963746" "5963745" "6640206" "5602838" "6128677" "6038677" "5280474" "5598408" "6175874" "6327267" "6535990").pn. ("5793650" "6286093" "6587860" "5603019" "6401174" "5379440" "6609213" "6151649" "6393485" "4903305" "5668943" "5963965" "5961650" "6154220" "6189111" "6192401" "6742072" "6789213" "6801200" "6587921" "5732192" "6735220" "6292830" "5197130" "6115830" "5353412" "5787284" "5909217" "6434626" "5812852" "5940596" "5491690" "5495479" "6304602" "6665761" "6687818" "5940490" "6073216" "6081876" "6078957" "6175566" "6393026" "5572703" "5860146" "6148349" "6078990" "4958273" "6032261" "6424992" "6097960").pn. ("6665304" "5613071" "6230251" "4905219" "6269437" "6282585" "5682321" "4893307" "5021949" "4947386" "4970722" "6122629" "5253161" "5276789" "5634043" "6058400" "6298419" "6385625" "6247059" "5371852" "5551053" "5847586" "5896899" "5675830" "5794059" "6074427" "6449699" "5905869" "6748437" "6173470" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 17:17 |
| Search History 11/17/2004 2:01:15 PM Page 3 C:\Documents and Settings\miken1\My Documents\ESN Workspaces\09935440_3rd.wsp | | | | | | |

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S61 | 96 | ("4998249" "5189733" "5461615" "5600642" "5860108" "6032234" "6195349" "6601101" "6718394" "5784697" "6460149" "6701332" "4432057" "5331642" "5485608" "5524205" "5644766" "5742838" "5796999" "5862332" "6028914" "6173319" "6173321" "6385454" "6389465" "5572528" "5842026" "5856974" "6222840" "6222840" "4939725" "5594918" "5822531" "6054863" "6338117" "6735205" "5349664" "5367690" "5434970" "5920714" "5931938" "6058490" "5208914" "5414819" "6088333" "6446218" "6453468" "5377333" "6385174").pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 13:11 |
| S62 | 142 | clustered adj computing | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 12:54 |
| S63 | 76 | S62 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 12:54 |
| S64 | 1577 | network adj address adj translation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 13:11 |
| S65 | 389 | super\$1cluster\$5 global\$1cluster\$5 multi\$1cluster\$5 super adj cluster\$5 global adj cluster\$5 multi adj cluster\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 13:11 |
| S66 | 0 | S64 and S65 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 13:11 |
| S67 | 121265 | super\$1cluster\$5 global\$1cluster\$5 multi\$1cluster\$5 super adj cluster\$5 global adj cluster\$5 multi adj cluster\$5 cluster\$ | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 13:12 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S68 | 2881 | S67 and "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 13:12 |
| S69 | 107 | S68 and S64 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 13:21 |
| S70 | 1189 | dynamic and configurat\$6 and S67 and "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 13:22 |
| S71 | 478 | S70 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 13:22 |
| S72 | 150 | S71 and (fabric fiber fibre) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 13:22 |
| S73 | 348 | ((add\$3 remov\$3) and node\$1 near (cluster\$1)) and "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 15:59 |
| S74 | 161 | S73 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 16:27 |
| S78 | 802 | (cluster\$4 and comput\$6) and transparent\$5 and "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 17:15 |

| | | | | | | |
|-----|-----|------------------------|---|----|----|------------------|
| S79 | 389 | S78 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 17:15 |
|-----|-----|------------------------|---|----|----|------------------|

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S80 | 478 | ("5940870" "6154765" "5682512" "5805572" "5428803" "6069986" "6163855" "6665278" "5832182" "6175931" "6748429" "6175574" "6049889" "6332180" "6047323" "6295585" "5625831" "5191578" "6332165" "6370585" "6449700" "6536000" "5887134" "5946685" "6047332" "6163806" "6119143" "6151688" "5652841" "6173374" "6338112" "6353898" "6594786" "6389451" "6801937" "6249802" "5224100" "5404451" "6014669" "5561784" "6438705" "6182197" "6769008" "5612865" "5699500" "5727206" "6253230" "6006098" "5890007" "6247077").pn. ("5884313" "6049808" "6199179" "6226734" "6226734" "6247109" "6260068" "6381682" "5884090" "5887184" "6021442" "5287453" "6078943" "6587866" "6667980" "6735206" "5893086" "5940838" "5946686" "5950199" "5956734" "5960446" "5963963" "5974424" "5987477" "5999976" "6021508" "6023706" "5940841" "6470441" "6078913" "5319775" "5588152" "5590345" "5625836" "5710935" "5717943" "5734921" "5842031" "5963746" "5963745" "6640206" "5602838" "6128677" "6038677" "5280474" "5598408" "6175874" "6327267" "6535990").pn. ("5793650" "6286093" "6587860" "5603019" "6401174" "5379440" "6609213" "6151649" "6393485" "4903305" "5668943" "5963965" "5961650" "6154220" "6189111" "6192401" "6742072" "6789213" "6801200" "6587921" "5732192" "6735220" "6292830" "5197130" "6115830" "5353412" "5787284" "5909217" "6434626" "5812852" "5940596" "5491690" "5495479" "6304602" "6665761" "6687818" "5940490" "6073216" "6081876" "6078957" "6175566" "6393026" "5572703" "5860146" "6148349" "6078990" "4958273" "6032261" "6424992" "6097960").pn. ("6665304" "5613071" "6230251" "4905219" "6269437" "6282585" "5682321" "4893307" "5021949" "4947386" "4970722" "6122629" "5253161" "5276789" "5634043" "6058400" "6298419" "6385625" "6247059" "5371852" "5551053" "5844736" "6596879" "5675830" "5794059" "6074427" "6449699" "5905869" "6748437" "6173420" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 17:17 |
|-----|-----|--|---|----|----|------------------|

| | | | | | | |
|-----|---------|--|---|----|----|------------------|
| S81 | 81 | S80 and (transparent\$6) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 17:18 |
| S82 | 42 | S80 and (address near map\$6) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 17:37 |
| S83 | 59 | S80 and (address near (map\$6 translat\$6)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 18:08 |
| S84 | 146 | internetwork and intranetwork | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 18:08 |
| S85 | 94 | S84 and (address translation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 18:09 |
| S86 | 52 | S85 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/28 18:09 |
| S87 | 2086763 | router switch | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/29 17:42 |
| S88 | 21379 | configur\$6 adj3 S87 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/29 17:43 |

| | | | | | | |
|----------|-------|---|---|----|----|------------------|
| S89 | 11590 | S88 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/29 17:44 |
| S90 | 2074 | S89 and (operation near mode) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/10/29 17:45 |
| S91 | 90 | S90 and "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 12:26 |
| S96 | 7198 | internetwork\$ (inter\$1network\$) (inter adj network) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:14 |
| S98 | 191 | S96 adj3 (address addressing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:15 |
| S99 | 150 | S98 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:46 |
| S10 0 | 5678 | cluster\$5 and addressing | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:47 |
| S10 1 | 3035 | S100 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:48 |

| | | | | | | |
|----------|-------|---|--|----|----|------------------|
| S10 3 | 33 | S101 and ((super\$1cluster\$)(super adj cluster\$)(supercluster\$)(global\$1clu ster\$)(global adj cluster\$)(globalcluster\$)(multicuster \$)(multi adj cluster\$)(multi\$1cluster\$)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:54 |
| S10 4 | 978 | multiple adj cluster\$ | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:54 |
| S10 5 | 455 | S104 and (router switch hub bridge) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:54 |
| S10 6 | 233 | S105 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:55 |
| S10 7 | 110 | S106 and (translation translate translating translated transformation transform transform\$) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:02 |
| S10 8 | 56 | cluster and 709/246.ccls. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:03 |
| S11 0 | 25972 | configur\$6 adj3 (router\$ switch bridge gateway) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:12 |
| S11 1 | 1791 | S110 and "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:11 |

| | | | | | | |
|----------|-------|--|--|----|----|------------------|
| S11 3 | 10476 | configur\$6 adj (router\$ switch bridge gateway) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:13 |
| S11 4 | 770 | S113 and "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:12 |
| S11 5 | 340 | S114 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:12 |
| S11 6 | 308 | (configureable configurable) adj (router\$ switch bridge gateway) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:14 |
| S11 7 | 131 | S116 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:24 |
| S11 8 | 1820 | network adj address adj translat\$ | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:24 |
| S11 9 | 434 | S118 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:24 |
| S12 0 | 551 | (router switch bridge) and (shutdown adj mode) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:44 |

| | | | | | | |
|----------|--------|--|--|----|----|------------------|
| S12 1 | 365 | S120 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:44 |
| S12 2 | 7 | S120 and "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 15:47 |
| S12 3 | 0 | mode adj of adj operation | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:25 |
| S12 4 | 33572 | (router switch bridge) and (control near3 bit) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:26 |
| S12 5 | 58 | (router switch bridge) and (control adj enable near3 bit) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:26 |
| S12 6 | 43 | S125 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:32 |
| S12 7 | 151257 | (router switch bridge gateway) and ((mode adj3 operation)(operating adj mode)(operating\$1mode)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:34 |
| S12 8 | 6278 | S127 and (shutdown (error adj check)(error\$1check)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:35 |

| | | | | | | |
|----------|--------|---|--|----|----|------------------|
| S12 9 | 4243 | S128 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:35 |
| S13 0 | 140 | S129 and "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:38 |
| S13 1 | 378942 | (router bridge switch gateway).ti. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 17:59 |
| S13 2 | 5417 | S131 and (mode near operation) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:53 |
| S13 3 | 65 | S132 and "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:40 |
| S13 4 | 43 | S133 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:40 |
| S13 5 | 36 | S131 and (destination near address near (check\$ verif\$)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:56 |
| S13 6 | 15 | S135 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:54 |

| | | | | | | |
|----------|-------|---|--|----|----|------------------|
| S13 7 | 31268 | S131 and (initialization mode) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:57 |
| S13 8 | 29 | S131 and (initialization near mode) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:57 |
| S14 1 | 20 | S138 and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 16:58 |
| S14 2 | 4853 | router and "709"/\$.ccls. | US-PGPUB | OR | ON | 2004/11/01 17:33 |
| S14 3 | 4726 | S142 and @ad>"20000825" | US-PGPUB | OR | ON | 2004/11/01 17:34 |
| S14 4 | 127 | S142 and @ad<"20000825" | US-PGPUB | OR | ON | 2004/11/01 17:58 |
| S14 5 | 680 | S131 and "709"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 17:59 |
| S14 6 | 4507 | (router bridge switch gateway).ti. | US-PGPUB | OR | ON | 2004/11/01 17:59 |
| S14 7 | 0 | S146 and "709"/\$.ccls | US-PGPUB | OR | ON | 2004/11/01 18:00 |
| S14 8 | 287 | S146 and "709"/\$.ccls. | US-PGPUB | OR | ON | 2004/11/01 18:00 |
| S14 9 | 10 | S148 and @ad<"20010101" | US-PGPUB | OR | ON | 2004/11/01 18:05 |
| S15 0 | 572 | network and 709/246.ccls. | US-PGPUB | OR | ON | 2004/11/01 18:06 |
| S15 1 | 601 | (network or internet or data or file or node or intranet or extranet or router or bridge or switch or proxy or gateway or hub) and 709/246. ccls. | US-PGPUB | OR | ON | 2004/11/01 18:07 |
| S15 2 | 13 | S151 and @ad<"20000101" | US-PGPUB | OR | ON | 2004/11/01 18:15 |
| S15 3 | 14650 | network and "709"/\$.ccls. | US-PGPUB | OR | ON | 2004/11/01 18:16 |

| | | | | | | |
|----------|--------|---|--|----|----|------------------|
| S15 4 | 440 | S153 and @ad<"20000101" | US-PGPUB | OR | ON | 2004/11/01 18:18 |
| S15 5 | 1016 | S153 and @ad<"20010101">"19980101" | US-PGPUB | OR | ON | 2004/11/02 12:05 |
| S15 6 | 34 | (cluster\$1comput\$ cluster\$ adj comput\$) and @ad<"20010101">"19980101" | US-PGPUB | OR | ON | 2004/11/02 12:14 |
| S15 7 | 1220 | (address and mapping) and @ad<"20010101">"19980101" | US-PGPUB | OR | ON | 2004/11/02 12:15 |
| S15 8 | 20 | (address adj mapping and gateway) and @ad<"20010101">"19980101" | US-PGPUB | OR | ON | 2004/11/02 12:19 |
| S16 0 | 1016 | (network) and @ad<"20010101">"19980101" and "709"/\$.ccls. | US-PGPUB | OR | ON | 2004/11/02 13:12 |
| S16 2 | 153 | (passthrough bypass pass adj through by adj pass) and @ad<"20010101">"19980101" and "709"/\$.ccls. | US-PGPUB | OR | ON | 2004/11/02 13:45 |
| S17 0 | 228297 | (router switch bridge gateway).ti. and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 17:22 |
| S17 1 | 20840 | S170 and (integrated integrate semiconductor semi\$1conductor chip) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 17:20 |
| S17 2 | 19615 | S170 and (integrated semiconductor semi\$1conductor chip) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 17:21 |
| S17 3 | 10257 | S172 and (semiconductor) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 17:21 |
| S17 4 | 322 | S172 and (semiconductor adj chip) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 17:21 |

| | | | | | | |
|----------|------|---|--|----|----|------------------|
| S17 5 | 2896 | (router).ti. and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 17:22 |
| S17 6 | 370 | S175 and (integrated semiconductor semi\$1conductor chip) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 17:41 |
| S17 7 | 5 | S175 and (bit\$1mask (bit adj mask)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 17:41 |
| S17 8 | 3 | (S175) and (status adj indicator) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 18:01 |
| S17 9 | 5 | (S175) and (status adj (indication indicator indicator)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 18:04 |
| S18 0 | 7391 | (S175 switch bridge) and (status adj (indication indicator indicator)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 18:04 |
| S18 1 | 5 | (S175) and (status adj (indication indicator indicator)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 18:04 |
| S18 2 | 2 | (S175) and ("control enable" control\$1enable) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 18:07 |

| | | | | | | |
|----------|---------|--|--|----|----|------------------|
| S18 3 | 37 | (S175) and ("mode of operation" (operation near mode)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 18:26 |
| S18 4 | 4 | (S175) and ("destination address" near check\$) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 18:30 |
| S18 5 | 0 | (S175) and (error same recovery same mode) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 18:30 |
| S18 6 | 3 | (S175) and (error same recovery) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 18:30 |
| S19 4 | 261638 | (operation adj mode)(operating adj mode)(operation\$1mode)(operating \$1mode)(mode near operation) | US-PGPUB; USPAT; DERWENT | OR | ON | 2004/11/03 13:11 |
| S19 5 | 1671317 | router gateway switch bridge | US-PGPUB; USPAT; DERWENT | OR | ON | 2004/11/03 13:12 |
| S19 7 | 501 | (router bridge).ti. and S194 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 13:13 |
| S19 8 | 217 | (router bridge).ti. and S194 and (enable disable adj (bit flag)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 13:13 |
| S19 9 | 11 | (router bridge).ti. and S194 and (enable disable adj (bit flag)) and shutdown | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 13:13 |

| | | | | | | |
|----------|-----|---|--|----|----|------------------|
| S20 0 | 39 | (control adj enable adj bit) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 14:07 |
| S20 1 | 31 | (control adj enable adj bit) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 14:12 |
| S20 2 | 50 | (control adj (disable enable) adj (bit flag toggle)) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 14:14 |
| S20 3 | 4 | (control adj (disable enable) adj (bit flag toggle)) and router and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 14:16 |
| S20 4 | 37 | (control adj (disable enable) adj (bit flag toggle)) and (router switch gateway bridge) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 14:15 |
| S20 5 | 4 | (control adj (disable enable) adj (bit flag toggle)) and (router) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 14:15 |
| S20 6 | 382 | ((disable enable) adj (bit flag toggle)) and router and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 14:23 |
| S20 7 | 3 | ((disable enable) adj (bit flag toggle)) same option) and router and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 14:17 |

| | | | | | | |
|----------|----|---|--|----|----|------------------|
| S21 0 | 44 | (control adj register) with router | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 14:36 |
| S21 7 | 17 | (router).ti. and ((shut\$1down shut adj down shutdown)) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 15:20 |
| S21 9 | 3 | (router).ti. and (router with shutdown) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 15:30 |
| S22 0 | 3 | (router gateway switch bridge).ti. and (router with (shutdown)) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 15:31 |
| S22 1 | 18 | (router gateway switch bridge).ti. and (router with (shutdown suspend\$2 suspension)) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 15:34 |
| S22 2 | 5 | (router routing).ti. and (router with shutdown) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 15:35 |
| S22 3 | 3 | (router routing).ti. and (router with shutdown) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 15:35 |
| S22 4 | 4 | (router routing).ti. and ((router switch bridge) with shutdown) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 15:35 |

| | | | | | | |
|----------|-------|--|--|----|----|------------------|
| S23 0 | 21 | (router).ti. and (fail-over fail adj over) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 15:44 |
| S23 1 | 132 | (router).ti. and (fail-over fail adj over recover recovery) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 15:44 |
| S23 2 | 56 | (router).ti. and (fail-over fail adj over recover recovery) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 15:49 |
| S23 3 | 14 | (router).ti. and ("no signal" "signal loss" "dropped packet" "dropped packets") and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 15:50 |
| S23 5 | 11051 | (packet adj header) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 16:08 |
| S24 0 | 1 | S235 same (node near count) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 16:12 |
| S24 1 | 10 | router.ti. and ((destination adj address) near (check\$ verify\$ verificat\$)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 16:13 |
| S24 2 | 4 | router.ti. and ((destination adj address) near (check\$ verify\$ verificat\$)) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 16:26 |

| | | | | | | |
|----------|----|--|--|----|----|------------------|
| S24 3 | 15 | (router bridge switch gateway).ti. and ((destination adj address) near (check\$ verify\$ verificat\$)) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 16:30 |
| S24 4 | 5 | router near address near (check\$ verify\$ verification) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 16:31 |
| S24 5 | 16 | router.ti. and address near (check\$ verify\$ verification) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 16:41 |
| S24 6 | 12 | router.ti. and address near (check\$ verify\$ verification) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 16:31 |
| S24 7 | 18 | router.ti. and address near (check\$ verify\$ verification authenticat\$) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 16:41 |
| S24 8 | 12 | router.ti. and address near (check\$ verify\$ verification authenticat\$) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 16:41 |
| S24 9 | 66 | router.ti. and address near10 (check\$ verify\$ verification authenticat\$) and @ad<"20000825" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2004/11/03 16:41 |